

Fluid Power Catalog



0001

MERKEL 1170 V-Packing Set (1 + 3 + 2 + 1)

This Merkel rod v-packing set is composed of 3 rubber-fabric rings, two homogeneous rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.




Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0002

MERKEL 1170 V-Packing Set (1 + 1 + 1)

This Merkel PISTON v-packing set is composed of 1 rubber-fabric ring and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.




Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0003

MERKEL 1170 V-Packing Set (1 + 5 + 1)

This Merkel rod v-packing set is composed of 5 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0004

MERKEL 1170 V-Packing Set (1 + 3 + 1)

This Merkel rod v-packing set is composed of 3 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0008

MERKEL 1170 V-Packing Set (1 + 2 + 1 + 1)

This Merkel rod v-packing set is composed of 2 rubber-fabric rings, 1 homogeneous ring, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0009

MERKEL 1170 V-Packing Set (1 + 2 + 1)

This Merkel PISTON v-packing set is composed of 2 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.




Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0010

MERKEL 1170 V-Packing Set (1 + 4 + 1)



This Merkel rod v-packing set is composed of 4 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5



0045

MERKEL 1170 V-Packing Set (1 + 4 + 1 + 1)

This Merkel rod v-packing set is composed of 4 rubber-fabric rings, 1 homogeneous rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5




0047

MERKEL 1170 V-Packing Set with 3-5 Intermediate Rings

This Merkel Piston V-packing set is composed of 3-5 rubber-fabric rings, 1 Plastic (POM) Male adapter, and one & Female adapter ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5




0048

MERKEL 1170 V-Packing Set with Solid Intermediate Ring

This Merkel Piston V-packing set is composed of 3-4 rubber-fabric intermediate rings, 1 homogenous intermediate ring, 1 Plastic (POM) Male adapter, and one & female adapter ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5




0049

MERKEL 1170 V-Packing Set (1 + 1 + 1)

This Merkel PISTON V-packing set is composed of 2 rubber-fabric rings, 1 Plastic (POM) Male adapter, and one & female adapter ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5




0106

MERKEL 1000 Heavy Duty V-Packing Set (1 + 3 + 1)

Merkel 1000 heavy duty V-Packing is primarily used in large diameter presses. It has a robust design that provides excellent waer & extrusion resistance. Each ring is spirally rolled by hand to ensure the highest level of quality possible. The 0106 series is composed of 3 intermediate rings and a top & bottom adaptor.



Pressure (PSI): 9000
Max. Temp (F°): 212
Speed (ft/s): 1.5




0107

MERKEL 1000 Heavy Duty V-Packing Set (1 + 4 + 1)

MERKEL 1000 heavy duty V-Packing is primarily used in

Pressure (PSI): 9000



large diameter presses. It has a robust design that provides excellent waer & extrusion resistance. Each ring is spirally rolled by hand to ensure the highest level of quality possible. The 0107 series is composed of 4 intermediate rings and a top & bottom adaptor.



Max. Temp (F°): 212

Speed (ft/s): 1.5



0158

MERKEL 1000 Heavy Duty V-Packing Set (1 + 2 + 1)


MERKEL 100 heavy duty V-Packing is primarily used in large diameter presses. It has a robust design that provides excellent waer & extrusion resistance. Each ring is spirally rolled by hand to ensure the highest level of quality possible. The 0158 series is composed of 2 intermediate rings and a top & bottom adaptor.



Pressure (PSI): 9000

Max. Temp (F°): 212

Speed (ft/s): 1.5



0171

MERKEL 1170 V-Packing Set (1 + 1 + 1) ES

This Merkel PISTON v-packing set is composed of 1 rubber-fabric ring, and a male & female (top & bottom) adaptor ring. The Male adaptor ring is specially fabricated with rubber pegs to keep the set energized properly; this allows the set to work well in some non-adjustable housings. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000

Max. Temp (F°): 212

Speed (ft/s): 1.5



0172

MERKEL 1170 V-Packing Set (1 + 2 + 1) ES


This Merkel PISTON v-packing set is composed of 2 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. The Male adaptor ring is specially fabricated with rubber pegs to keep the set energized properly; this allows the set to work well in some non-adjustable housings. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000

Max. Temp (F°): 212

Speed (ft/s): 1.5



0173

MERKEL 1170 V-Packing Set (1 + 3 + 1) ES

This Merkel rod v-packing set is composed of 3 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. The Male adaptor ring is specially fabricated with rubber pegs to keep the set energized properly; this allows the set to work well in some non-adjustable housings. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000

Max. Temp (F°): 212

Speed (ft/s): 1.5



0174

MERKEL 1170 V-Packing Set (1 + 4 + 1) ES

This Merkel rod v-packing set is composed of 4 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. The Male adaptor ring is specially fabricated with rubber pegs to keep the set energized properly; this allows

Pressure (PSI): 9000

Max. Temp (F°): 212



the set to work well in some non-adjustable housings. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.




Speed (ft/s): 1.5



0175

MERKEL 1170 V-Packing Set (1 + 5 + 1) ES

This Merkel rod v-packing set is composed of 5 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000

Max. Temp (F°): 212


Speed (ft/s): 1.5



0176

MERKEL 1170 V-Packing Set (1 + 6 + 1) ES

This Merkel rod v-packing set is composed of 6 rubber-fabric rings, and a male & female (top & bottom) adaptor ring. The Male adaptor ring is specially fabricated with rubber pegs to keep the set energized properly; this allows the set to work well in some non-adjustable housings. All Merkel v-packings are spirally wound by hand, rather than cut from sheets. This eliminates fabric endweave and delamination.



Pressure (PSI): 9000

Max. Temp (F°): 212

Speed (ft/s): 1.5



Other Styles Available

Select One



simrit

